What does pH have to do with skin?



Talking about pH level takes us back to seventh-grade science class. Unfortunately, there must have been an oversight in the PH lesson plan because the topic of pH- balanced skin definitely wasn't stressed enough. Why exactly are we discussing pH levels? Because, according to the reports of more than 130 clinical studies, achieving the perfect pH is the secret to beautiful skin. "A study published in British Journal of Dermatology by Greg Hillebrand, PhD, revealed that patient's skin which was too alkaline (their pH balance was too high) developed more fine lines and crow's feet than those with acidic skin (their pH was balanced)," Dr. Nussbaum says.

1 The Ideal pH

There is an ideal number that leads to a lifetime of happy skin. "Balanced skin is achieved when skin maintains the ideal pH of 5.5," studies reports confirm. "At this slightly acidic pH, the skin is optimized to seal in hydration, while protecting us from free radicals, pollution, and environmental irritants

Unbalanced pH of Skin

How do you know if you're off-balance? Generally, skin that isn't behaving can be traced to pH problems. Many Studies show, that skin issues like eczema, redness, dry patches, acne, oiliness, psoriasis, and premature signs of aging all indicate that your skin's pH is off-balance.

(AKA, When pH balance was too high) it developed more fine lines and crow's feet than those with acidic skin (AKA, their pH was balanced).

2 If your skin is off-balance, Dr. Nussbaum says it's because you've been too hard on it. Most likely you've been scrubbing too aggressively, using too much HOT water, and using harsh cleansers. Washing with Hot water (that's anything warmer than lukewarm) strips your skin's protective layer and dehydrates it , while showers longer than five minutes could also be depleting your skin's moisture levels. Finally, if your cleanser is soap, alkali, and surfactant-free, you're stripping your skin's acid mantle, which causes pH to rise. Most soaps are ALKALINE !!! Definitely not the right PH for skin and on top most of them leave a coating that doesn't allow your skin to breath, lets not forget that skin is ruled by the lungs and needs to do just that, aside from eliminating toxins and keeping moisture balance, so consequently when the skin is suffocated it can not possibly do its work in an optimum way. Researchers have also discovered that traditional soap (which is alkaline, not acidic) strips the skin's acid mantle and causes skin pH to rise, making skin susceptible to outside (allergens, irritants, weather, infection) and internal (stress, hormones) factors that trigger skin inflammation. Soaps may seem innocent, but traditional soap bars can have a pH of up to 9, leaving skin with a dry, tight feeling. Hot water is also irritating to skin's protective barrier, and without proper hydration following exposure, skin is left vulnerable to damage.

3 Instead, use ultra-mild gel cleanser that's soap and alkali free, and cleanses and moisturizes all in one while adjusting skin to its ideal pH of 5.5. Wash your face with lukewarm water, and pat dry with a soft cloth instead of scraping skin with an abrasive towel.

4 On the Body use refreshing and invigorating formula designed to wash away dirt and debris whilst maintaining the skin's moisture levels and correct pH balance. Made with gentle cleansers derived from Coconut and skin- softening agents; Aloe Vera Gel and Jojoba Oil, skin is left soft and smooth. The SKIN goes all over the body as well people!!! For some reason people seem to think of treating skin on the face with gentleness and the body gets left out.

5 Use at-home peels, in moderation: Glycolic peels can help the skin maintain acidity, while also providing exfoliating benefits. To avoid irritation and too much acidity, opt for peels or masks with a neutralizing ingredient like seaweed, which regulates the pH of Glycolic and Kojic acids to deliver the brightening and exfoliating benefits while eliminating the risk of sensitivity. Use only at the dermatologist recommended intervals and stop immediately if your skin becomes dry, red or flaky.(all in moderation, the tendency is to think more is better. I don't think so in fact I know so).



One more Tip and a crucial one that we don't usually connect to is FEED your skin from inside out. After all, the inside is what makes it, so give it the proper materials to do so.Feed your face with alkaline greens: Keeping your insides slightly alkaline helps keep your skin in balance. Incorporating green vegetables and vegetable juices into your diet over several weeks will aid digestion, boost immunity, AND improve skin. If your diet is too acidic, signs of deterioration may surface as your cells won't be getting enough minerals and oxygen.

The accurate expectation of balanced skin.According to Scientist and extensive research, your skin will appear healthier overall. It will look and feel adequately moisturized and have a healthy glow, which is ultimately what we're all hoping for. Our skincare products will deliver, isn't that what the ultimate outcome is we desire ?. Once balance is restored, your products will work better too. "You want to apply your moisturizers to a surface with the right pH so they can actually WORk"

Chart from: http://www.rense.com

More Ranked Foods: Alkaline (pH)		
Alkaline: Meditation,	ic (pH)	
Prayer, Peace, Kindness & Love	Acid: Overwork, Anger, Fear, Jealousy & Stress	
Extremely Alkaline Forming Foods - pH 8.5 to 9.0	Extremely Acid Forming Foods — pH 5.0 to 5.5	
9.0 Lemons 1, Watermelon 2 8.5 Agar	5.0 Artificial sweeteners 5.5 Beef,	
Agar 3, Cantaloupe, Cayenne (Capsicum) 4,	Carbonated soft drinks &	
Dried dates & figs, Kelp, Karengo, Kudzu root, Limes,	fizzy drinks <mark>38,</mark> Cigarettes (tailor made), Drugs, Flour (white,	
Mango, Melons, Papaya, Parsley 5, Seedless grapes	wheat) 39, Goat, Lamb, Pastries &	
(sweet), Watercress, SeaweedsAsparagus 6, Endive,	cakes from white flour,	
Kiwifruit, Fruit juices 7, Grapes	cakes from white flour, Pork, Sugar (white) 40 Beer 34, Brown sugar 35, Chicken, Deer, Chocolate,	
(sweet), Passion fruit,	Chocolate,	
Pears (sweet), Pineapple, Raisins, Umeboshi plum, Vegetable juices 8	Coffee 36, Custard with white sugar, Jams, Jellies,	
vegetable juices o	Liquor 37, Pasta (white), Rabbit, Semolina, Table	
	salt refined and indized.	
	Tea black, Turkey, Wheat bread, White rice, White	
Moderate Alkaline - pH 7.5	vinegar (processed). Moderate Acid — pH 6.0	
to 8.0 8.0 Apples (sweet), Apricots, Alfalfa sprouts 9,	to 6.5 6.0 Cigarette tobacco	
Arrowroot, Flour 10,	6.0 Cigarette tobacco (roll your own), Cream of Wheat	
Avocados, Bananas (ripe), Berries, Carrots, Celery, Currants, Dates & figs	(unrefined), Fish, Fruit juices with sugar, Maple	
(fresh), Garlic 11,	syrup (processed), Molasses (sulphured),	
Gooseberry, Grapes (less sweet),	Pickles (commercial), Breads	
Grapefruit, Guavas, Herbs (leafy green), Lettuce	(refined) of corn, oats, rice &	
(leafy green), Nectarine, Peaches (sweet), Pears	rye, Cereals (refined) eg weetbix, corn flakes,	
(less sweet), Peas (fresh sweet), Persimmon,	Shellfish, Wheat germ, Whole Wheat foods 32,	
Pumpkin (sweet), Sea salt (vegetable) 12, Spinach 7.5	Wine 33, Yogurt (sweetened)6.5 Bananas	
Apples (sour), Bamboo shoots, Beans (fresh green),	(green), Buckwheat, Cheeses (sharp),	
Beets, Bell Pepper, Broccoli, Cabbage;Cauli,	whole (cooked hard),	
Carob 13, Daikon, Ginger (fresh),	Ketchup, Mayonnaise, Oats, Pasta (whole grain),	
Grapes (sour), Kale, Kohlrahi, Letture (nale	Pastry (wholegrain &	
green), Oranges, Parsnip, Peaches (less sweet), Peas	honey), Peanuts, Potatoes (with no skins), Popcorn (with salt & butter), Rice	
(less sweet), Potatoes & skin. Pumpkin (less	(basmati), Rice (brown), Soy sauce (commercial), Tapioca, Wheat bread	
sweet), Raspberry, Sapote, Strawberry, Squash 14, Sweet	Tapioca, Wheat bread (sprouted organic)	
corn (fresh), Tamari 15, Turnip, Vinegar (apple		
cider) 16 Slightly Alkaline to	Slightly Acid to Neutral	
Neutral pH 7.0	pH 7.0	
	7.0 Barley malt syrup, Barley, Bran, Cashews,	
7.0 Almonds 17, Artichokes (Jerusalem),	Cereals (unrefined with honey-	
Barley-Malt (sweetener-Bronner), Brown	fruit-maple syrup), Cornmeal,	
Rice Syrup, Brussel Sprouts, Cherries, Coconut	Cranberries 30, Fructose, Honey (pasteurized),	
(fresh), Cucumbers, Egg plant, Honey (raw), Leeks,	Lentils, Macadamias, Maple syrup (unprocessed),	
Miso, Mushrooms, Okra, Olives ripe <mark>18,</mark> Onions,	Milk (homogenized) and most processed dairy	
Olives ripe 18, Onions, Pickles 19, (home made), Radish, Sea salt 20, Spices	products, Molasses (unsulphered organic) 31,	
21, Taro, Tomatoes (sweet), Vinegar (sweet)	Nutmeg, Mustard, Pistachios, Popcorn &	
brown rice), Water ChestnutAmaranth, Artichoke	butter (plain), Rice or wheat	
(globe), Chestnuts (dry roasted), Egg yolks (soft	crackers (unrefined), Rye (grain), Rye bread	
cooked), Essene bread 22, Goat's milk and whey (raw)	(organic sprouted), Seeds (pumpkin & sunflower),	
23, Horseradish, Mayonnaise (home made).	WalnutsBlueberries, Brazil nuts, Butter (salted),	
Millet, Olive oil, Quinoa, Rhubarb, Sesame seeds	Cheeses (mild & crumbly) 28, Crackers (unrefined rye),	
	Dried beans (mung, adzuki,	
Sprouted grains 25, Tempeh, Tofu, Tomatoes (less sweet), Yeast	pinto, kidney, garbanzo) 29, Dry coconut,	
sweet), Yeast (nutritional flakes)	Egg whites, Goats milk (homogenized), Olives	
	(pickled), Pecans, Plums 30, Prunes 30, Spelt	
Neutral pH 7.0 Ň Healthy Body Saliva pH Range is between 6.4 to 6.8 (on your pH test strips)		
Butter (fresh unsalted), Cream (fresh and raw),		
Margarine 26, Milk (raw cow's) 27, Oils (except olive),Whey (cow's), Yogurt (plain)		
NOTE: Match with the numbers above. 1. Excellent for EMERGENCY SUPPORT for colds, coughs,		
sore throats, heartburn, and gastro upsets. 2. Good for a yearly fast. For several days eat whole melon, chew pips well and eat also. Super alkalizing		
food.		
 Substitute for gelatin, more nourishing. Stimulating, non-irritating body healer. Good for endocrine system. 		
endocrine system. 5. Purifies kidneys. 6. Powerful acid reducer detoxing to produce acid urine		
 Powerful acto reducer detoxing to produce acto drime temporarily, causing alkalinity for the long term. Natural sugars give alkalinity. Added sugar causes juice to become acid forming. 		
7 Network success studies allost	 Natural sugars give atkatinity. Added sugar causes juice to become acid forming. 8. Depends on vege's content and sweetness. 	
 Natural sugars give alkal juice to become 		
 Depends on vege's co 9. Enzyme rich, super 	ontent and sweetness. ior digestibility.	
 Depends on vege's co 9. Enzyme rich, super 	ontent and sweetness. ior digestibility.	
 Bepends on vege's co Enzyme rich, super High calcium content. Elevates acid food 5.6 Vegetable content Substitute for c 	<pre>ontent and sweetness. 'ior digestibility. Cornflour substitute.) in alkaline direction. raises alkalinity. cca: mineral rich.</pre>	
 Bepends on vege's cc Enzyme rich, super High calcium content. Elevates acid food 5.6 Vegetable content Substitute for cc Winter squash rates 7.5 squash rates 7.4 	<pre>ontent and sweetness.</pre>	
 Bepends on vege's cc Enzyme rich, super High calcium content. Elevates acid food 5.(Vegetable content Substitute for c Winter squash rates 7.5 squash rates 7.5 Genuine fermented for 1 B. Raw unpasteurized is a di 	<pre>intent and sweetness. ior digestibility. Cornflour substitute.) in alkaline direction. raises alkalinity. cca; mineral rich. 5. Butternut and sweeter tes 8.0. 1102 years otherwise 6.0. gestive aid to increase HCL</pre>	
 Depends on vege's ct Enzyme rich, super High calcium content. High calcium content. High calcium content. Substitute for ct Substitute for ct Minter squash rates 7: Squash rats Genuine formentd for 1 Raw unpasteurized is a di in the store. I tableson meal. To, Soak 12 hours. 	<pre>intent and sweetness. ior digestibility. Cornflour substitute.) in alkaline direction. occ; mineral rich. occ; mineral rich. S. Butternut and sweeter tes 8.0. 102 years otherwise 6.0. gestive aid to increase HCL n, + honey & water before s. peel skin to eat.</pre>	
 Depends on vege's ct Enzyme rich, super High calcium content. High calcium content. High calcium content. Substitute for ct Substitute for ct Minter squash rates 7: Squash rats Genuine formentd for 1 Raw unpasteurized is a di in the store. I tableson meal. To, Soak 12 hours. 	<pre>intent and sweetness. ior digestibility. Cornflour substitute.) in alkaline direction. occ; mineral rich. occ; mineral rich. S. Butternut and sweeter tes 8.0. 102 years otherwise 6.0. gestive aid to increase HCL n, + honey & water before s. peel skin to eat.</pre>	
 Bepends on vege's cc Enzyme rich, super High calcum content. Elevates acid food 3: 1 Elevates acid food 3: 1 Substitute for c Minter squash rates 7: 1 	ontent and sweetness. ior digestibility. Coroflour substitute.) in alkaline direction. raises alkalinity. coa; mineral rich. 5. Butternut and sweeter ess 8.0. 102 years otherwise 6.0. gestive aid to increase HCL n, + honey & water before 5. peel skin to eat. ened, otherwise 6.0. apple cider vinegar.	
 Bepends on vege's cc Enzyme rich, super High calcum content. Elevates scid food 3. I. Yegetable content I. Yegetable content Minter squash rates 7. Soush rates 7. 	ontent and swetness. ior digestibility. Corrifour substitute. In a kalime direction. raises ablainity. ablainity. Butternut and sweter es 8.0. Butternut and sweter es 8.0. a, thoney & autor before 5. getikue aid to increase HGL. ablaic thervise 6.0. ablaic thervise 6.0. ablaic thervise 6.0. ablaic for the statement of the statement Driad at the temperatures. a labulae.	
 Bepends on vege's ct Enzyme rich, super High calcium content. Elevates scid food 5. Vegetable content Substitute for c Minter squash rates 7. Substitute for c Genuine fermented for 1 Genuine fermented for 1 Raw unpasterized is a distance Substitute for c Raw unpasterized is a distance Substitute for c Substitute for c<!--</td--><td>ntent and swetness. ior digestibility. Cornflour substitute. In alkaline direction. raises abalinity. Cost: mineral rice. Butternut and swetness etc. 100 years otherwise 6.0. By the aid to increase HCL med, otherwise 6.0. Septice aid to increase HCL med, otherwise 6.0. apple cider yungar. Dired at low resperatures. 7.6 to 8.0. at low respectives. To 40 science for ains cheved re at labeled.</td>	ntent and swetness. ior digestibility. Cornflour substitute. In alkaline direction. raises abalinity. Cost: mineral rice. Butternut and swetness etc. 100 years otherwise 6.0. By the aid to increase HCL med, otherwise 6.0. Septice aid to increase HCL med, otherwise 6.0. apple cider yungar. Dired at low resperatures. 7.6 to 8.0. at low respectives. To 40 science for ains cheved re at labeled.	
 Bepends on vege's ct Enzyme rich, super High calcium content. Elevates scid food 3. High calcium content. Vegetable content Miner spussive rates 7. Minter spussive rates 7. Minter spussive rates 7. Minter spussive rates 7. Sonk in ferencet of 07: Sonk in the stonesh. 1 tablespose Sondried, tree rip Sondried 12 hours. Sonotains sea minerais. Sported will become so well become so well become so and a statistical sea site of a statistical sea solution. High levels of utilizable sea sea solution. 	notent and sweetness. ior digestibility. Corrifour substitute. In a kalime direction. raises ablainity. a baltermut and sweeter ess 8.0. baltermut and sweeter ess 8.0. baltermut and sweeter ess 8.0. n, + honey & water before 5. getikus di to increase RUL, no is di to temperatures. 7. of to 8.0. agole cider vingenzetures. 7. of to 8.0. add digestion. be calcium. Grind before 19.	
 Bepends on vege's ct Enzyme rich, super High calcium content. Elevates scid food 3. Yegetable content Winter squasarb calcium content. Minter squasarb calcium content. Minter squasarb calcium content. Minter squasarb calcium content. Scancine ferencet of or 1. Scancine ferencet of or 1. Substitution calcium content. Scancine ferencet of or 1. Scancine ferencet of or 1. Substitution calcium content. Scancine ferencet of or 1. Scancine for the standard calcium content calcium content calcium content calcium content calcium content calcium ca	notent and sweetness. ior digestibility. Corrifour substitute. In a kaline direction. raises ablainity. raises ablainity.	
 Bepends on vege's cc Finzyme rich, super High calcium content. L'evedtable content Vegetable content Vegetable content Vegetable content Winter spussh variable scale for a statisticate for a sta	notent and sweetness. ior digestibility. Corrilour substitute. In alkaline direction. raises ablainity. Gos mineral rick weeter ise 8.0. petitive aid to increase RLL petitive aid to increase RLL need, otherwise 6.0. apple cider vinegar. Dried at low temperatures. 7.0 to 8.0. aitabile. Grains cheede the ablaite. the ablaite. The ablaite. The ablaite. The and before gestibility higher. to harden and become tible.	
 Bepends on vege's cc Enzyme rich, speer High calcium content. Elevates acid food 3: 12. Vegetable content Usubilitute for content. Substitute for the ferment of for 13. Substitute for an example of the ferment of for 14. Numer squash rates 7.3 Gautu en ferment of for 13. Substitute for an example of the ferment of for 13. Substitute for an example of the ferment of for 13. Substitute for an example of the ferme of the ferme of the for the state of the ferme of the fermi of the ferme of the fermi of the ferm	notent and sweetness. ior digestibility. Corrilour substitute. In alkaline direction. In alkaline direction. In alkaline direction. In alkaline direction. In alkaline direction. ID pars otherwise 6.0. Sopel tider thoreare. Sopel cider threads. Sopel cider threads. Sopel cider threads. I alkaline. Grains cheeder al alkaline. Grains cheeder to harden and become tible. To harden and become tible. To digest. No harden and become tible.	
 B. Depends on vege's cc B. Thyse rich, super Nigh calcum content. Live statistics acid food 3. Live potentiate for content. Night and the statistic for content. Statistic for content. 	notent and sweetness. ior digestibility. Corrifour substitute. In a hakline direction. radis and hall nity. In a hakline direction. radis and hall nity. In a honey fauth sweeter res 8.0. billy ears otherwise 6.0. gestive aid to increase HGL. n, + honey fauth referses s. gestikine fauth sweeter re alkalne. re alkalne. re alkalne. re alkalne. re alkalne. re alkalne. re disclose. Gestifiction. Her of the sweeter set in the sweeter bible. The hards and become tible. The hards and become tible. The sweeter of the sweeter the sweeter of the sweeter of the sweeter of the sweeter the sweeter of the sweeter of the sweeter of the sweeter the sweeter of the sweeter of the sweeter of the sweeter of the sweeter the sweeter of the sweeter of t	
 B. Depends on vege's cc B. Rayme rich, super Nigh calcium content. Lievstes scild food 3. Night calcium content. Vegetable content Night calcium content. Scanning ess sait and 3. Sondried, tree rip Sight calcium content. Sondried in the stomesh. Subscript ess sait and 3. Sondried in the stome calcium cal	notent and sweetness. ior digestibility. Corrifour substitute. In a kalime direction. raises ablainity. raises ablainity. IDD years otherwise 6.0. Destive aid to increase FAL. n, + honey & autor before 5. petitive aid to increase FAL. petitive aid to increase FAL. J to 5.0. petitive fallow. J to harden and become tible. production. di hardt to digest. di hard to digest. di hardt to digest. di hardt to digest. di and to dig	
 Bepends on vege's cc Fixpure rich, speer High calcium content. High calcium content. High calcium content. Substitute for content. Substitute for content. Minter spussh match is a dia in the stomech. I tablespont Genuine for contains ease minerals. Sorouted grains are more value to of units of the stomech. Ange from 22. Nange for a store of the store of	notent and sweetness. ior digestibility. Corrilour substitute. In alkaline direction. raises abulinity. Soc, mineral rais weeter is burner and sweeter is burner and sweeter is burner and sweeter is burner and sweeter is burner and sweeter south and south and south and south and south and south and sout	
 B. Depends on vege's cc B. Thyse rich, speer B. High calcum content. I. Elevates scil food 3. (1) I. Elevates scil food 3. (1) I. Substitute for c J. Substitute for c S. Genuine frements for 1. I. Substitute for c I. Substitute for c	ntent and swettness. ior digestibility. Corrifour substitute. In alkaline direction. In alkaline direction. Social substitute. Social substitute. Social substitute and substitute. Social substitute and substitute. Social substitute. Soc	
 Bepends on vege's cc Finzyme rich, super High calcium content. Lievstes scid food 3. Yegetable content Yeget	notent and sweetness. ior digestibility. Corrifour substitute. In atakine direction. In atakine direction. Deal skin to eat. Beel skin to eat. In a atakine. Ja to B.G. In atakine. Ja to B.G. Ja to B.G.	

Video contributed by David Wolfe

at: <u>http://www.davidwolfe.com/</u>

Some great skincare products



Eminence Organics Mineral Cleansing Concentrate



Eminence Organics Eight Greens Youth Serum